




SSF2405-Y / SSH2405-Y

24" LCD, 1000nits LED backlight, 1920 x 360 ultra-wide aspect ratio 16:3

The SSF/SSH2405-Y is a 24 inch color TFT-LCD display with special aspect ratio 16:3 and wide resolution 1920 x 360. It is Litemax's Spanpixel series product which designed for high brightness with power efficiency LED backlight. It provides LCD panel with specific aspect ratios and sunlight readable for digital signage, public transportation, exhibition hall, department store, and vending machine.

Key Features

- Ultra-Wide Screen (16 : 3)
- High Brightness
- Sunlight Readable
- LED Backlight
- Low Power Consumption
- BL MTBF: 100,000 hours



Specifications

| | |
|---------------------------------|--|
| Model Name | SSF2405-Y / SSH2405-Y V1 |
| Description | 24" LCD, 1000nits LED backlight , 1920x360 |
| Screen Size | 24" |
| Display Area (mm) | 597.8(H) x 112.1(V) |
| Brightness | 1000 cd/m ² |
| Resolution | 1920x360 |
| Aspect Ratio | 16 : 3 |
| Contrast Ratio | 850 : 1 |
| Pixel Pitch (mm) | 0.3114(H) x 0.3114(V) |
| Pixel Per Inch (PPI) | 81 |
| Viewing Angle | 178°(H),178°(V) |
| Color Saturation (NTSC) | 81% |
| Display Colors | 16.7M |
| Response Time (Typical) | 30ms |
| Panel Interface | LVDS |
| AD Board Input Interface | VGA, DVI-D, HDMI |
| Input Power | DC12V |
| Power Consumption | 21W / (27.5W with AD board) |
| Dimensions (mm) | 612.7x 132.1 x 12.8 |
| Bezel Size(U/B/L/R) | 11/6/6/6 mm |
| Weight (Net) | 1.23 kg |
| Operating Temperature | 0 °C ~ 50 °C |
| Storage Temperature | -20 °C ~ 60 °C |


SSF= Panel + LED Driving Board

SSH= Panel + LED Driving Board + AD Control Board

Specifications are subject to change without notice.

All brands or product names are trademarks or registered trademarks of their respective companies.

Mechanical Drawing





Ordering Information

| Part Number | Description |
|-----------------|--|
| SSF2405-YNN-A01 | 24",1000nits,1920*360,LID24C,5in1,V1 |
| SSH2405-YNN-G01 | 24",1000nits,1920*360,LID24C,AD2662GDH,DC12V,5in1,V1 |
| | |

Optional Accessories

| Part Number | Description |
|--------------|--------------------------------------|
| 810618301010 | CABLE.POWER.AC.1830mm USA type |
| 810618301090 | CABLE,POWER,AC,1830mm Europe type |
| 810618301050 | CABLE.POWER.AC.1830mm UK type |
| 810618301170 | CABLE.POWER,AC,1830mm Australia type |
| 810618301031 | CABLE.POWER.AC.1830mm Japan type |
| | |

Customer request

| | |
|-------|---------------------------------------|
| Touch | SCT (Single-Touch), PCT (Multi-Touch) |
| Glass | Tempered glass, AR coating..... |
| | |