

**SVSE-W SERIES | 15.6", 18.5", 22", 24", 27", 32", 43", 49" & 55"  
TOUCH SCREEN MONIOTR OR ANDROID PCAP TOUCH SCREEN**



**PROTECTIVE ENCLOSURE**

These deluxe displays are the ultimate solution for displaying your content in public spaces. As well as protecting the internal components, the robust aluminium surround and tempered edge-to-edge glass also deliver captivating tablet-like aesthetics for a truly high-end feel.



**HIGHLY DURABLE SCREENS**

Designed for continuous use in public spaces, these displays utilise commercial grade LCD panels, LED backlights and internal components. This means they can run 24/7 for over 50,000 hours. To avoid tampering, they also have no external buttons or controls.



**500CD/M<sup>2</sup> BRIGHTNESS**

Designed for brightly lit spaces such as retail stores and shopping centres. (>22") Almost two times the brightness level of a standard domestic screen or monitor, making your content really stand out from the crowd.



**OPT.: 10-POINT PCAP TOUCH**

Having up to 10 touch points allows users to perform a variety of touch gestures, including manipulating images and zooming in/out - much like you would with a domestic tablet or smart phone. It also allows multiple users to interact with the screen at the same time.



**OPT.1: LCD SCREEN MONITOR**

By connecting to an external device via HDMI or VGA, such as a third-party PC or media player, these versatile displays can be effortlessly transformed into a commercial monitor with striking aesthetics.



**OPT.2: AIO ANDROID SCREEN**

The built-in Android media player allows you to easily update on-screen content via USB plug and play. Alternatively, upgrade your screen to be networked without needing any additional hardware to update via the internet. Third-party software can also be installed if required.

# SPECIFICATIONS

## Panel

<b>Diagonal Size</b> 15.6"	<b>Resolution</b> 1920 x 1080	<b>Brightness (Typ.)</b> 500nit 300 nit OPT.	<b>Contrast Ratio</b> 800:1
<b>Viewing Angle</b> 170 / 170 (H/V)	<b>Colors</b> 16.2M, 45% NTSC	<b>AA Area (mm)</b> 344.16(W)×193.59(H)	<b>Refresh Rate</b> 60Hz

### OPT.: 10-POINT PCAP TOUCH

<b>Touch Technology</b> Projected Capacitive	<b>Touch Points</b> 10	<b>Glass Hardness</b> 6H
---	---------------------------	-----------------------------

## Power

<b>Type</b> Internal	<b>Power Supply</b> AC 100 - 240V, 50/60Hz	<b>Power Consumption</b> 25W
-------------------------	---	---------------------------------

### OPT.1: Android PC (Available to change if required)

<b>CPU</b> RK3566 Quad-core Cortex A55	<b>GPU</b> Mali-G52 2EE	<b>RAM</b> 2GB	<b>Internal Memory</b> 16GB
<b>USB</b> USB 2.0 X2	<b>Network</b> RJ45, 10/100M WiFi: 802.11b/g/n	<b>Bluetooth</b> 4.2	<b>OS</b> Android OS 11

**OPT.:**  
RK3568 Quad-core ARM Cortex-A55, Mali-G52 | 2GB | 16GB | Android OS 11

### OPT.2: LCD MONITOR

<b>I/O PORTS</b> HDMI IN x 1, VGA IN x 1	<b>USB</b> USB x 1
---	-----------------------

## Mechanical

<b>Outline Size (mm)</b> 387x246x44.4	<b>Weight</b> 4 kg	<b>Wall Mount</b> x 1	<b>Speaker</b> Built-in Type, 2 x 5W
--	-----------------------	--------------------------	---

## Operation

<b>Operation Temp.</b> 0 - 45 °C	<b>Humidity</b> 10% - 80%
-------------------------------------	------------------------------

# SPECIFICATIONS

## Panel

<b>Diagonal Size</b> 18.5"	<b>Resolution</b> 1920 x 1080	<b>Brightness (Typ.)</b> 500nit 350 nit OPT.	<b>Contrast Ratio</b> 1000:1
<b>Viewing Angle</b> 178 / 178 (H/V)	<b>Colors</b> 16.7M, 72% NTSC	<b>AA Area (mm)</b> 409.8(W)×230.4(H)	<b>Refresh Rate</b> 60Hz

### OPT.: 10-POINT PCAP TOUCH

<b>Touch Technology</b> Projected Capacitive	<b>Touch Points</b> 10	<b>Glass Hardness</b> 6H
---	---------------------------	-----------------------------

## Power

<b>Type</b> Internal	<b>Power Supply</b> AC 100 - 240V, 50/60Hz	<b>Power Consumption</b> 30W
-------------------------	---	---------------------------------

### OPT.1: Android PC (Available to change if required)

<b>CPU</b> RK3566 Quad-core Cortex A55	<b>GPU</b> Mali-G52 2EE	<b>RAM</b> 2GB	<b>Internal Memory</b> 16GB
<b>USB</b> USB 2.0 X2	<b>Network</b> RJ45, 10/100M WiFi: 802.11b/g/n	<b>Bluetooth</b> 4.2	<b>OS</b> Android OS 11

**OPT.:**  
RK3568 Quad-core ARM Cortex-A55, Mali-G52 | 2GB | 16GB | Android OS 11

### OPT.2: LCD MONITOR

<b>I/O PORTS</b> HDMI IN x 1, VGA IN x 1	<b>USB</b> USB x 1
---	-----------------------

## Mechanical

<b>Outline Size (mm)</b> 460.4x281x50.9	<b>Weight</b> 5 kg	<b>Wall Mount</b> x 1	<b>Speaker</b> Built-in Type, 2 x 5W
--	-----------------------	--------------------------	---

## Operation

<b>Operation Temp.</b> 0 - 45°C	<b>Humidity</b> 10% - 80%
------------------------------------	------------------------------

# SPECIFICATIONS

## Panel

<b>Diagonal Size</b> 21.5"	<b>Resolution</b> 1920 x 1080	<b>Brightness (Typ.)</b> 500nit 250 nit OPT.	<b>Contrast Ratio</b> 1000:1
<b>Viewing Angle</b> 178 / 178 (H/V)	<b>Colors</b> 16.7M, 72% NTSC	<b>AA Area (mm)</b> 476.064(W)×267.786(H)	<b>Refresh Rate</b> 60Hz

### OPT.: 10-POINT PCAP TOUCH

<b>Touch Technology</b> Projected Capacitive	<b>Touch Points</b> 10	<b>Glass Hardness</b> 6H
---	---------------------------	-----------------------------

## Power

<b>Type</b> Internal	<b>Power Supply</b> AC 100 - 240V, 50/60Hz	<b>Power Consumption</b> 30W
-------------------------	---	---------------------------------

### OPT.1: Android PC (Available to change if required)

<b>CPU</b> RK3566 Quad-core Cortex A55	<b>GPU</b> Mali-G52 2EE	<b>RAM</b> 2GB	<b>Internal Memory</b> 16GB
<b>USB</b> USB 2.0 X2	<b>Network</b> RJ45, 10/100M WiFi: 802.11b/g/n	<b>Bluetooth</b> 4.2	<b>OS</b> Android OS 11

**OPT.:**  
RK3568 Quad-core ARM Cortex-A55, Mali-G52 | 2GB | 16GB | Android OS 11

### OPT.2: LCD MONITOR

<b>I/O PORTS</b> HDMI IN x 1, VGA IN x 1	<b>USB</b> USB x 1
---	-----------------------

## Mechanical

<b>Outline Size (mm)</b> 527.5x319x50.9	<b>Weight</b> 6 kg	<b>Wall Mount</b> x 1	<b>Speaker</b> Built-in Type, 2 x 5W
--	-----------------------	--------------------------	---

## Operation

<b>Operation Temp.</b> 0 - 40 °C	<b>Humidity</b> 10% - 80%
-------------------------------------	------------------------------

# SPECIFICATIONS

## Panel

<b>Diagonal Size</b> 23.6"	<b>Resolution</b> 1920 x 1080	<b>Brightness (Typ.)</b> 500nit 300 nit OPT.	<b>Contrast Ratio</b> 3000:1
<b>Viewing Angle</b> 178 / 178 (H/V)	<b>Colors</b> 16.7M, 72% NTSC	<b>AA Area (mm)</b> 521.28(W)×293.22(H)	<b>Refresh Rate</b> 60Hz

### OPT.: 10-POINT PCAP TOUCH

<b>Touch Technology</b> Projected Capacitive	<b>Touch Points</b> 10	<b>Glass Hardness</b> 6H
---	---------------------------	-----------------------------

## Power

<b>Type</b> Internal	<b>Power Supply</b> AC 100 - 240V, 50/60Hz	<b>Power Consumption</b> 35W
-------------------------	---	---------------------------------

### OPT.1: Android PC (Available to change if required)

<b>CPU</b> RK3566 Quad-core Cortex A55	<b>GPU</b> Mali-G52 2EE	<b>RAM</b> 2GB	<b>Internal Memory</b> 16GB
<b>USB</b> USB 2.0 X2	<b>Network</b> RJ45, 10/100M WiFi: 802.11b/g/n	<b>Bluetooth</b> 4.2	<b>OS</b> Android OS 11

**OPT.:**  
RK3568 Quad-core ARM Cortex-A55, Mali-G52 | 2GB | 16GB | Android OS 11

### OPT.2: LCD MONITOR

<b>I/O PORTS</b> HDMI IN x 1, VGA IN x 1	<b>USB</b> USB x 1
---	-----------------------

## Mechanical

<b>Outline Size (mm)</b> 576.2x348.2x50.9	<b>Weight</b> 8 kg	<b>Wall Mount</b> x 1	<b>Speaker</b> Built-in Type, 2 x 5W
--	-----------------------	--------------------------	---

## Operation

<b>Operation Temp.</b> 0 - 45°C	<b>Humidity</b> 10% - 80%
------------------------------------	------------------------------

# SPECIFICATIONS

## Panel

<b>Diagonal Size</b> 27"	<b>Resolution</b> 1920 x 1080	<b>Brightness (Typ.)</b> 500nit 300 nit OPT.	<b>Contrast Ratio</b> 1000:1
<b>Viewing Angle</b> 178 / 178 (H/V)	<b>Colors</b> 16.7M, 72% NTSC	<b>AA Area (mm)</b> 597.888(W)×336.312(H)	<b>Refresh Rate</b> 60Hz

### OPT.: 10-POINT PCAP TOUCH

<b>Touch Technology</b> Projected Capacitive	<b>Touch Points</b> 10	<b>Glass Hardness</b> 6H
---	---------------------------	-----------------------------

## Power

<b>Type</b> Internal	<b>Power Supply</b> AC 100 - 240V, 50/60Hz	<b>Power Consumption</b> 40W
-------------------------	---	---------------------------------

### OPT.1: Android PC (Available to change if required)

<b>CPU</b> RK3566 Quad-core Cortex A55	<b>GPU</b> Mali-G52 2EE	<b>RAM</b> 2GB	<b>Internal Memory</b> 16GB
<b>USB</b> USB 2.0 X2	<b>Network</b> RJ45, 10/100M WiFi: 802.11b/g/n	<b>Bluetooth</b> 4.2	<b>OS</b> Android OS 11

#### OPT.:

RK3568 Quad-core ARM Cortex-A55, Mali-G52 | 2GB | 16GB | Android OS 11

### OPT.2: LCD MONITOR

<b>I/O PORTS</b> HDMI IN x 1, VGA IN x 1	<b>USB</b> USB x 1
---	-----------------------

## Mechanical

<b>Outline Size (mm)</b> 656.9x395.3x50.9	<b>Weight</b> 10 kg	<b>Wall Mount</b> x 1	<b>Speaker</b> Built-in Type, 2 x 5W
--	------------------------	--------------------------	---

## Operation

<b>Operation Temp.</b> 0 - 45°C	<b>Humidity</b> 10% - 80%
------------------------------------	------------------------------

# SPECIFICATIONS

## Panel

<b>Diagonal Size</b> 32"	<b>Resolution</b> 1920 x 1080	<b>Brightness (Typ.)</b> 500nit 300 nit OPT.	<b>Contrast Ratio</b> 1200:1
<b>Viewing Angle</b> 178 / 178 (H/V)	<b>Colors</b> 16.7M, 72% NTSC	<b>AA Area (mm)</b> 698.4(W)×392.85(H)	<b>Refresh Rate</b> 60Hz

### OPT.: 10-POINT PCAP TOUCH

<b>Touch Technology</b> Projected Capacitive	<b>Touch Points</b> 10	<b>Glass Hardness</b> 6H
---	---------------------------	-----------------------------

## Power

<b>Type</b> Internal	<b>Power Supply</b> AC 100 - 240V, 50/60Hz	<b>Power Consumption</b> 60W
-------------------------	---	---------------------------------

### OPT.1: Android PC (Available to change if required)

<b>CPU</b> RK3566 Quad-core Cortex A55	<b>GPU</b> Mali-G52 2EE	<b>RAM</b> 2GB	<b>Internal Memory</b> 16GB
<b>USB</b> USB 2.0 X2	<b>Network</b> RJ45, 10/100M WiFi: 802.11b/g/n	<b>Bluetooth</b> 4.2	<b>OS</b> Android OS 11

#### OPT.:

RK3568 Quad-core ARM Cortex-A55, Mali-G52 | 2GB | 16GB | Android OS 11

### OPT.2: LCD MONITOR

<b>I/O PORTS</b> HDMI IN x 1, VGA IN x 1	<b>USB</b> USB x 1
---	-----------------------

## Mechanical

<b>Outline Size (mm)</b> 760 x 453.8 x 59.4	<b>Weight</b> 12 kg	<b>Wall Mount</b> x 1	<b>Speaker</b> Built-in Type, 2 x 5W
--	------------------------	--------------------------	---

## Operation

<b>Operation Temp.</b> 0 - 45°C	<b>Humidity</b> 10% - 80%
------------------------------------	------------------------------

# SPECIFICATIONS

## Panel

<b>Diagonal Size</b> 43"	<b>Resolution</b> 1920 x 1080	<b>Brightness (Typ.)</b> 500nit 300 nit OPT.	<b>Contrast Ratio</b> 1200:1
<b>Viewing Angle</b> 178 / 178 (H/V)	<b>Colors</b> 16.7M, 72% NTSC	<b>AA Area (mm)</b> 943.9(W)×532.25(H)	<b>Refresh Rate</b> 60Hz

### OPT.: 10-POINT PCAP TOUCH

<b>Touch Technology</b> Projected Capacitive	<b>Touch Points</b> 10	<b>Glass Hardness</b> 6H
---	---------------------------	-----------------------------

## Power

<b>Type</b> Internal	<b>Power Supply</b> AC 100 - 240V, 50/60Hz	<b>Power Consumption</b> 60W
-------------------------	---	---------------------------------

### OPT.1: Android PC (Available to change if required)

<b>CPU</b> RK3566 Quad-core Cortex A55	<b>GPU</b> Mali-G52 2EE	<b>RAM</b> 2GB	<b>Internal Memory</b> 16GB
<b>USB</b> USB 2.0 X2	<b>Network</b> RJ45, 10/100M WiFi: 802.11b/g/n	<b>Bluetooth</b> 4.2	<b>OS</b> Android OS 11

#### OPT.:

RK3568 Quad-core ARM Cortex-A55, Mali-G52 | 2GB | 16GB | Android OS 11

### OPT.2: LCD MONITOR

<b>I/O PORTS</b> HDMI IN x 1, VGA IN x 1	<b>USB</b> USB x 1
---	-----------------------

## Mechanical

<b>Outline Size (mm)</b> 1014.2 x 602.4 x 66.4	<b>Weight</b> 20 kg	<b>Wall Mount</b> x 1	<b>Speaker</b> Built-in Type, 2 x 5W
---	------------------------	--------------------------	---

## Operation

<b>Operation Temp.</b> 0 - 45°C	<b>Humidity</b> 10% - 80%
------------------------------------	------------------------------



# SPECIFICATIONS

## Panel

<b>Diagonal Size</b> 49"	<b>Resolution</b> 1920 x 1080	<b>Brightness (Typ.)</b> 500nit 300 nit OPT.	<b>Contrast Ratio</b> 1200:1
<b>Viewing Angle</b> 178 / 178 (H/V)	<b>Colors</b> 16.7M, 72% NTSC	<b>AA Area (mm)</b> 1073.78(W)×604(H)	<b>Refresh Rate</b> 60Hz

### OPT.: 10-POINT PCAP TOUCH

<b>Touch Technology</b> Projected Capacitive	<b>Touch Points</b> 10	<b>Glass Hardness</b> 6H
---	---------------------------	-----------------------------

## Power

<b>Type</b> Internal	<b>Power Supply</b> AC 100 - 240V, 50/60Hz	<b>Power Consumption</b> 60W
-------------------------	---	---------------------------------

### OPT.1: Android PC (Available to change if required)

<b>CPU</b> RK3566 Quad-core Cortex A55	<b>GPU</b> Mali-G52 2EE	<b>RAM</b> 2GB	<b>Internal Memory</b> 16GB
<b>USB</b> USB 2.0 X2	<b>Network</b> RJ45, 10/100M WiFi: 802.11b/g/n	<b>Bluetooth</b> 4.2	<b>OS</b> Android OS 11

#### OPT.:

RK3568 Quad-core ARM Cortex-A55, Mali-G52 | 2GB | 16GB | Android OS 11

### OPT.2: LCD MONITOR

<b>I/O PORTS</b> HDMI IN x 1, VGA IN x 1	<b>USB</b> USB x 1
---	-----------------------

## Mechanical

<b>Outline Size (mm)</b> 1141.5 x 672.5 x 66.9	<b>Weight</b> 25 kg	<b>Wall Mount</b> x 1	<b>Speaker</b> Built-in Type, 2 x 5W
---	------------------------	--------------------------	---

## Operation

<b>Operation Temp.</b> 0 - 45°C	<b>Humidity</b> 10% - 80%
------------------------------------	------------------------------

# SPECIFICATIONS

## Panel

<b>Diagonal Size</b> 55"	<b>Resolution</b> 1920 x 1080	<b>Brightness (Typ.)</b> 500nit 300 nit OPT.	<b>Contrast Ratio</b> 1200:1
<b>Viewing Angle</b> 178 / 178 (H/V)	<b>Colors</b> 16.7M, 72% NTSC	<b>AA Area (mm)</b> 1209.6(W)×680.4(H)	<b>Refresh Rate</b> 60Hz

### OPT.: 10-POINT PCAP TOUCH

<b>Touch Technology</b> Projected Capacitive	<b>Touch Points</b> 10	<b>Glass Hardness</b> 6H
---	---------------------------	-----------------------------

## Power

<b>Type</b> Internal	<b>Power Supply</b> AC 100 - 240V, 50/60Hz	<b>Power Consumption</b> 60W
-------------------------	---	---------------------------------

### OPT.1: Android PC (Available to change if required)

<b>CPU</b> RK3566 Quad-core Cortex A55	<b>GPU</b> Mali-G52 2EE	<b>RAM</b> 2GB	<b>Internal Memory</b> 16GB
<b>USB</b> USB 2.0 X2	<b>Network</b> RJ45, 10/100M WiFi: 802.11b/g/n	<b>Bluetooth</b> 4.2	<b>OS</b> Android OS 11

#### OPT.:

RK3568 Quad-core ARM Cortex-A55, Mali-G52 | 2GB | 16GB | Android OS 11

### OPT.2: LCD MONITOR

<b>I/O PORTS</b> HDMI IN x 1, VGA IN x 1	<b>USB</b> USB x 1
---	-----------------------

## Mechanical

<b>Outline Size (mm)</b> 1286 x 757 x 67.9	<b>Weight</b> 30 kg	<b>Wall Mount</b> x 1	<b>Speaker</b> Built-in Type, 2 x 5W
---	------------------------	--------------------------	---

## Operation

<b>Operation Temp.</b> 0 - 45°C	<b>Humidity</b> 10% - 80%
------------------------------------	------------------------------