ASSURED
DIGITAL SIGNAGE

SVSH164N (C2)
16.4" ULTRA STRETCHED LCD DISPLAY

HD DEFINITION
HD resolution 1366 x 238 ensures vivid, high-impact images and videos at the point of sale.

HIGHLY DURABLE SCREENS
Reliable commercial grade screens enable your shelf displays to run smoothly 24/7.

NARROW BEZEL
A sleek, narrow bezel is especially important when placing multiple screens together. The compact design also adds to the aesthetic and reduces strain on shelf edges.

ANTI-GLARE LCD PANEL
With an non-glare (25% haze) panel, you can rest assured that your content will not be obstructed by lighting conditions outside of your control.

IPS LCD PANEL
Commercial grade IPS panels guarantee incredible image quality and colour depth at an ultra-wide viewing angle.

NATIVE STRETCHED LCD
Non-resizing/cutting LCD Panel, so no Broken glass, fragile sealing, micro-cracks, light leakage.

OPT.1: LCD MONITOR
Users can choose the stretched display as LCD Monitor with HDMI IN only, which allows to connect to any external media player or mini PC if required.

OPT.2: ANDROID PLAYER
Users can choose to integrated with Android player to update content via USB or CMS. You can also install any 3rd party CMS Software if required.

SPECIFICATIONS

Panel

Diagonal Size	Resolution	Brightness (Typ.)	Contrast Ratio
16.4"	1366 x 238	500 nit	1000:1

Viewing Angle	Colors	Surface Treat.	AA Area (mm)
178 / 178 (H/V)	16.7M, 72% NTSC	25% Haze	409.8 x 71.4

Power

Type	Power Supply	Power Consumption
External	AC 100 - 240V, 50/60Hz - DC 12V	25W

Mechanical

Outline Size (mm)	Weight	Bracket
432.3 x 93.9 x 34.8	2.5 kg	x1

Operation

Operation Temp.	Humidity
0 - 40℃	10% - 80%

OPT.1: LCD Monitor with HDMI IN Only

USB	HDMI IN
USB x 1	HDMI IN x 2

OPT.2: Android PC

CPU	GPU	RAM	Internal Memory
Quad-core Cortex A35	Mali-G31 MP2	1GB	8GB

USB	Network	Bluetooth	OS
USB 2.0 x 2	Wi-Fi	BT4.0	Android OS 8.1

Upgradable
Higher Performance Android Mainboard is Available if required